

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"7042877"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:04
S2	5	"7127633"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:07
S3	2	S2 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:11
S4	1	S3 failover	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:11
S5	2	"20020191602"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:13
S6	6	"6980525"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:21
S7	6	S6 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:24
S8	2638	709/230.ccls.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:36
S9	1986	S8 @ad< "20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:36
S10	2	(name adj1 server) same (fibre adj1 channel) same (address adj1 resolution)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 11:39
S11	3	"7230929"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 14:26
S12	2	"20020191649"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/18 14:27
S13	0	(IP adj1 address\$3) near6 (FC or (fibre adj1 channel)) near6 (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:02
S14	0	(IP adj1 address\$3) near10 (FC or (fibre adj1 channel)) near10 (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:03

S15	2	(IP adj1 address\$3) with (FC or (fibre adj1 channel)) with (resol\$5)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:03
S16	2	(IP adj1 address\$3) with (resol\$5) with (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:06
S17	30	(address adj1 resol\$5) with (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:07
S18	2	S17 same (IP adj1 address \$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:08
S19	12	S17 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 15:25
S20	4079	(back\$up or secondary) adj1 (link or path)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:12
S21	118442	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14
S22	51	S20 same S21	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14
S23	33	S22 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:14
S24	2	S23 failover	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:30
S25	31	S23 not S24	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/21 16:30
S26	360	IP near4 alias near4 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:31
S27	529	IP near4 alias\$3 near4 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:31
S28	48117	(back\$up or second\$4) adj1 (link or path)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:32
S29	118465	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:33
S30	0	S27 same S28 same S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:33
S31	0	S27 same S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34

S32	0	S27 S28 S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34
S33	25	S27 S29	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:34
S34	18	S33 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/24 09:35
S35	0	(IP adj1 addresses) with N \$1port with stor\$4	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:25
S36	4	(IP adj1 addresses) near8 N\$1port	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:27
S37	369	(IP adj1 addresses) near8 (N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:29
S38	153	S37 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:30
S39	42	S38 (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:33
S40	11	S39 fail\$1over	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:56
S41	11	(multiple or plurality) near4 (IP adj1 addresses) near8 (N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:58
S42	2	S41 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 17:58
S43	3281	(multiple or plurality) near4 (IP adj1 addresses)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:33
S44	344777	(N\$1port or (storage adj1 device))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:34
S45	33	S43 same S44	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:34
S46	9	S45 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/27 18:35
S47	76	(IP adj1 addresses) SAN (primary adj1 address) (backup or second\$3 or failover)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:46

S48	49	S47 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:47
S49	4	"7055056"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/03/28 07:48
S50	240	(IP adj1 address\$2) with (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:03
S51	2828	709/230.ccls.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S52	2828	S51	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S53	1	S50 S52	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:04
S54	67982	"709"/\$3.ccls.	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:07
S55	92	S50 S54	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:07
S56	73	S55 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:08
S57	0	(IP adj1 address\$2) naer6 within near6 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:10
S58	0	(IP adj1 address\$2) naer10 within near10 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:10
S59	1	(IP adj1 address\$2) near10 within near10 (symbolic adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:11
S60	52	((IP or network) adj1 address\$2) near10 within near10 ((symbolic or host) adj1 name\$1)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:16
S61	26	S60 @ad<"20031024"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/08 15:16
S62	2	"7042877"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/09 19:44
S63	34	"6353612"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:15

S64	96501	name with addresses	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:25
S65	3	S63 S64	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 08:26
S66	7	"7127633"	US-PGPUB; USPAT	AND	OFF	2008/10/10 08:35
S67	5	S64 S66	US-PGPUB; USPAT	AND	OFF	2008/10/10 08:35
S68	0	(IP adj1 addresses) with N \$1port with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 11:07
S69	0	(IP adj1 address\$2) same N\$1port same stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 11:08
S70	590	(IP adj1 address\$2) near5 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:12
S71	126689	(FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/10 14:13
S72	0	S70 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:13
S73	17	S70 S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 14:13
S74	34	"6353612"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 15:32
S75	12	"6980525"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:10
S76	4	"7117258"	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:32
S77	4850	DNS adj1 server\$1	US-PGPUB; USPAT; DERWENT	AND	OFF	2008/10/10 16:51

S78	2829	709/230.cds.	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2008/10/10 16:51
S79	105	S77 S78	US-PGPUB; USPAT; JPO; DERWENT	AND	ON	2008/10/10 16:51
S80	590	(IP adj1 address\$2) near5 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:52
S81	2	S79 S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:52
S82	275	(IP adj1 address\$2) near2 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57
S83	32	S77 S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57
S84	1	S83 S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/10/10 16:57
S85	2368	(back\$up or secondary) adj2 (address\$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S86	3184	primary adj2 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S87	715	S85 with S86	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:57
S88	18	encod\$4 same S87	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 12:58
S89	173	(back\$up or secondary) adj1 (IP adj1 address\$2)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:05
S90	166	primary adj1 IP adj1 address	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06
S91	57	S89 with S90	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06

S92	0	encod\$4 same S91	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:06
S93	4	(FC adj1 protocol) same (name adj1 field)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:15
S94	692	(FC adj1 protocol)	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:16
S95	0	S89 same S94	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:16
S96	0	S89 S94	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 13:17
S97	2	"20050091319"	US-PGPUB; USPAT; DERWENT	AND	ON	2008/10/11 16:11
S98	29	"6571355"	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/12 11:12
S99	0	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) near6 (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:17
S100	1	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) near12 (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:20
S101	5	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) same (FC or (Fibre adj1 Channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:20
S102	104	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) near12 configur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:22
S103	158	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) near12 regist\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:23
S104	6	S102 S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/15 18:23

S105	52	(IP adj2 aliases)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 17:58
S106	0	(IP adj2 aliases) with (N \$1port\$1 or (FC adj2 node \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 17:59
S107	0	(IP adj2 aliases) same (N \$1port\$1 or (FC adj2 node \$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S108	0	(IP adj2 aliases) (N\$1port \$1 or (FC adj2 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S109	1262	(N\$1port\$1 or (FC adj2 node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S110	0	S105 S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:00
S111	0	(IP adj2 aliases) near10 FC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:01
S112	0	(IP adj2 aliases) same FC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:02
S113	0	(IP adj1 aliases) near20 (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S114	0	(IP adj1 aliases) same (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S115	0	(IP adj1 aliases) (FC or (fibre adj1 channel))	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:04
S116	305	(FC or (fibre adj1 channel)) same failover	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:05

S117	0	S105 S116	US-PGPUB; USPAT; DERWENT	AND	ON	2009/04/21 18:06
S118	79	failover near10 partner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:07
S119	0	S105 S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:08
S120	0	failover same S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:11
S121	2	failover S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:11
S122	2835	identity near6 (assum\$6 or (tak\$4 adj1 over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:25
S123	0	S105 S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:25
S124	388	(IP or address) adj2 aliases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:32
S125	1	S122 S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:33
S126	1557	(IP or address) adj2 alias \$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:35
S127	2	S122 S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:35

S128	0	S118 S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/21 18:44
S129	8	"7055056"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/04/22 16:52
S130	324	(FC or (fibre adj1 channel)) same failover	US-PGPUB; USPAT; DERWENT	AND	ON	2009/09/14 13:55
S131	3015	identity near6 (assum\$6 or (tak\$4 adj1 over))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/14 13:55
S132	38	S130 S131	US-PGPUB; USPAT	AND	OFF	2009/09/14 13:55
S133	0	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (linkadj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:02
S134	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (link adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:02
S135	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path)adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S136	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path) adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S137	1	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 ((link or path or connection) adj1 fail\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 11:03
S138	2	"7362717"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/15 17:23

S139	0	GI D\$1FT same GSPN\$11D same (name adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
S140	0	GI D\$1FT GSPN\$11D (name adj1 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
S141	0	GI D\$1FT GSPN\$11D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:51
S142	1	GI D\$1FT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:52
S143	0	GSPN\$11D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/09/16 15:53
S144	64	((back\$up or secondary) adj1 ((IP adj1 address\$2 or address\$2)) near12 (position or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:17
S145	354	(FC or (fibre adj1 channel)) same failover	US-PGPUB; USPAT; DERWENT	AND	ON	2010/03/21 18:20
S146	0	S145 S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:20
S147	745	(IP adj1 address\$2) near5 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:23
S148	0	S147 S144	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:23
S149	0	S144 failover	US-PGPUB; USPAT; DERWENT	AND	ON	2010/03/21 18:28

S150	3495	709/230.cds.	US-PGPUB; USPAT; DERWENT	AND	ON	2010/03/21 18:29
S151	0	S144 S150	US-PGPUB; USPAT; DERWENT	AND	ON	2010/03/21 18:29
S152	2	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (position or location) near4 (based or determined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:33
S153	62	S144 not S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/21 18:38
S154	2	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (position\$1 or location\$1) near8 field\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 09:31
S155	2	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (position\$1 or location\$1 or offset) near8 field\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:39
S156	74	((back\$up or secondary) adj1 ((IP adj1 address\$2) or address\$2)) near12 (position\$1 or location\$1 or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:40
S157	1923	symbolic adj2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:41
S158	0	S156 S157	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:41
S159	3250	port adj2 name	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:42
S160	0	S156 S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:42

S161	12	((back\$up or fail\$1over) adj1 ((IP adj1 address\$2) or address\$2)) near12 (position\$1 or location\$1 or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 14:59
S162	2	((back\$up or fail\$1over) adj1 ((IP adj1 address\$2) or address\$2)) near12 (array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 15:13
S163	2	((back\$up or fail\$1over) adj1 ((address\$2)) near12 (array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 15:18
S164	25730	((IP adj1 address\$2) or address\$2) near2 (array \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 16:54
S165	905	((back\$up or fail\$1over or secondary) adj2 address \$2) with ((primary or main) adj2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 16:57
S166	4	S164 same S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 16:58
S167	12	((back\$up or fail\$1over or secondary) adj2 address \$2) with ((primary or main) adj2 address\$2) with array\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 17:09
S168	8	S167 not S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/22 17:09
S169	1	((back\$up or fail\$1over or secondary) adj2 address \$2) with ((primary or main) adj2 address\$2) with protocol with (position or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 10:27
S170	0	((back\$up or fail\$1over or secondary) adj2 address \$2) same ((primary or main) adj2 address\$2) same protocol same (position or location) same (array\$1 or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 10:58

S171	13	((back\$up or fail\$1over or secondary) adj2 address \$2) same ((primary or main) adj2 address\$2) same (position or location) same (array\$1 or offset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 10:59
S172	7	"6452845"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:15
S173	10	"6118682"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:19
S174	61	"5172933"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:22
S175	6	"6172933"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:23
S176	10	"6091649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:27
S177	6	"5793684"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:30
S178	11	"5518357"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:33
S179	3	"5873129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:35
S180	37	"4608678"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:37

S181	107	"4045781"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:40
S182	0	08/148314.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:51
S183	1	09/148314.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 12:52
S184	2	"20020194461"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2010/03/23 15:30
S185	16	"7289504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 15:52
S186	11	"5987495"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 16:07
S187	0	2000EP5011	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 17:04
S188	0	EP "20005011"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 17:05
S189	2	"20020133746"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/23 18:55
S190	1880	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/26 13:06

S191	255406	(name or ident\$7 or id) near4 cod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/26 13:08
S192	277	S190 S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/26 13:09

EAST Search History (1 Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S193	3606	709/230.cds.	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:10
S194	223296	(name or ident\$7 or id) near4 cod\$4	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:10
S195	426	S193 S194	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:11
S196	10	((back\$up or fail \$1over or secondary) adj2 address\$2) same ((primary or main) adj2 address\$2) same (position or location) same (array\$1 or offset)	USPAT; UPAD	AND	ON	2010/03/26 13:11
S197	12	((back\$up or fail \$1over or secondary) adj2 address\$2) same ((primary or main) adj2 address\$2) same (position or location) same (array\$1 or offset)	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:12
S198	21	bali-n\$.in.	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:13
S199	0	S194 S198	US-PGPUB; USPAT; UPAD	AND	ON	2010/03/26 13:15

3/ 26/ 2010 2:24:55 PM**C:\Documents and Settings\mlai\My Documents\EAST\Workspaces\ 10692670.wsp**